

## Hardware Reference Sheet

Image	Product Name	Product Code	Product Dimensions	Product Description
	Wall Mount Terminal  Wall Mount Terminal 4G Enabled	DT-MK2  DT-MK2-4G	H: 580mm W: 460mm L: 340mm 23KG	<p>Wall mounted terminal with 12-inch touch screen, card reader, camera, audio speakers and biometrics finger scanning pad. Requires connection to internet via ethernet cable and two power points. These units can be installed outside, only if they have a shelter or enclosure built around them to protect from weather.</p> <p>If 4G model, no ethernet connection is required but an extra power point is needed to power the modem. Installation location must have good 3G/4G data reception.</p>
	Wall Mount Terminal w/Printer  Wall Mount Terminal w/4G & Printer	DT-MK2P  DT-MK2P-4G	H: 870mm W: 640mm L: 53mm 27KG	<p>The same as the above model, except has a Printer Drawer built into the base of the terminal unit, that houses a Zebra Sticker Printer, to print Stickers for Visitors or Contractors to the worksite. Whole unit requires three power points and ethernet connection. These units can be installed outside, only if they have a shelter or enclosure built around them to protect from weather.</p> <p>If 4G model, no ethernet connection is required but an extra power point is required to power the modem.</p>



Image	Product Name	Product Code	Product Dimensions	Product Description
	<p>Visitor Terminal</p> <p>Visitor Terminal w/4G</p>	<p>DT-VTMK1</p> <p>DT-VTMK1-4G</p>	<p>H: 510mm W: 480mm L: 320mm 19KG</p>	<p>Desktop terminal with 15-inch touch screen, card reader, camera and biometrics finger scanning pad. This is typically used in reception areas for Visitors signing in and out of a worksite.</p> <p>Requires connection to internet via ethernet cable and two power points. This unit is suitable for indoor use only.</p> <p>If 4G model, no ethernet connection is required but an extra power point is needed to power the modem. Installation location must have good 3G/4G data reception.</p>
	<p>Visitor Terminal w/Printer</p> <p>Visitor Terminal w/4G &amp; Printer</p>	<p>DT-VTMK2P</p> <p>DT-VTMK2P-4G</p>		<p>The same as the above model, except has the addition of a Zebra Sticker Printer to print Stickers for Visitors or Contractors to the worksite. Whole unit requires three power points and ethernet connection. This unit is suitable for indoor use only.</p> <p>If 4G model, no ethernet required by an extra power point is required to power the modem.</p>



Image	Product Name	Product Code	Product Dimensions	Product Description
	Portable Terminal 4G Enabled	DT-PTMK2-4G		<p>Portable terminal with 9-inch touch screen, card reader and camera. Comes in Protective Pelican case with wall charger.</p> <p>Location of use must have good 3G/4G connectivity</p>
	Portable Terminal w/4G & Printer	DT-PTMK2P-4G		<p>The same as the above model but has the addition of a Zebra Bluetooth Sticker Printer for printing stickers for Visitors or Contractors signing on to the worksite.</p>
	LE5 Handheld Alcolizer	DT-LE5		<p>The LE5 Handheld Alcolizer is typically linked via Bluetooth to one of our Portable Terminals to prompt people signing on at the worksite to provide a breath sample.</p> <p>The system can be configured to determine the acceptable level of alcohol on the breath at the site, the percentage of people and type of people required to provide a breath sample.</p>



Image	Product Name	Product Code	Product Dimensions	Product Description
	WM4 Wallmount Alcolizer	DT-WM4		<p>The WM4 Wall Mounted Alcolizer can be used with any of the Wall Mounted Terminals. It is typically mounted beside a terminal and is connected to it to prompt a breath same to be provided when a person signs on at the terminal at the worksite. The system can be configured to determine the acceptable level of alcohol on the breath at the site, the percentage of people and type of people required to provide a breath sample. These units can be installed outside, only if they have a shelter or enclosure built around them to protect from weather. The operating temperature for the units is between -5 degrees and 40 degrees.</p> <p>Straws are dispensed out of the base of the unit, for a user to pull out and insert into the white hole on the front of the device, and then blow into the straw to provide their breath sample.</p>
	Zebra Sticker Printer	Zebra GX420D		<p>The Zebra Sticker Printer can be chosen as an add on to the Visitor Terminal if the worksite decides they would like stickers to be printed when a person signs on at the worksite.</p>



Image	Product Name	Product Code	Product Dimensions	Product Description
	Zebra Bluetooth Sticker Printer	Zebra Q220n		The Zebra Bluetooth Sticker Printer can be chosen as an add on to the Portable Terminal if the worksite decides they would like stickers to be printed when a person signs on at the worksite.
No image currently available	Access Control Unit	DT-ACCMK2		The Access Control units are used to control the opening and/or closing of gates, turnstiles and maglock doors on a worksite. These are typically wall mounted and require an electrician to install on site.
No image currently available	4G Modem & Data Connectivity	NZ-DTRTR or AU-DTRTR  NZ-4GDATA or AU-4GDATA		4G Modems and Data Connectivity units can be an add on to a Terminal (other than the portable) to provide internet connectivity to the device instead of using an ethernet cable connected to the worksites network.  Product code only varies based on the country the unit is required to be used in.

Damstra Technology also offers custom solutions where required, so don't hesitate to discuss your requirements with one of the Damstra Technology team.